NT BOOK

mensions			Contents	Reference to last Measurement
	Breadth 5	Depth 6	7	8

I st And Final Bill
SB RNO = 151/15-16
31/12/2015

Work code : BR-263/20-01/16

M. A. R. 57 (Rule 116)
Measurement Book

No. BE&T Cost ₹. 15.00 Lakh

Serial No. .....

Name of Work : Improvements to Roads and Drains At Kogilu lay out in Ward No 05 Byatarayanapura Sub division. From ..... To .....

Name of Contractor of nature of Agency ..... Sri B. Venu Gopal Reddy 259832

Date of commencement of work ..... BSR Construction. Yelahanka New Town

Date	Full description, etc, of work	Dimensions				B. Cover Contents	64 Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Work order No. - EE/BTP/BBMP/E-RMT/110/2015-16.						
	Recorded on - 31-12-2015						
	(1) Earthwork in surface excavation in ordinary Soil for cleaning and lowering the ground manually wherever necessary & building cleaning and drains and removing the excavated stuff to a distance						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Net Excavation in Earth work in Foundation trenches for Retaining wall including disposal of excavated earth as directed by Engineer-in-charge complete as per Specification.	2	30.00	1.20	1.20	86.40	
		2	30.00	1.20	1.20	86.40	
		2	30.00	1.20	1.20	86.40	
						259.20	
	Add 10% for Working space					25.92	
						285.12	
	Less 15% for voids					42.77	
						242.35	
	Add 0.5% for Lead					1.21	
						243.56	
	Less 0.24% for Lift					0.58	
						242.98	
	Add 0.34% for Lead					0.83	
						243.81	
	Less 0.49% for Lift					1.19	
						242.62	
	Add 0.34% for Lead					0.83	
						243.45	
	Less 0.24% for Lift					0.58	
						242.87	
	Add 0.34% for Lead					0.83	
						243.70	
	Less 0.24% for Lift					0.58	
						243.12	
	Add 0.34% for Lead					0.83	
						243.95	
	Less 0.24% for Lift					0.58	
						243.37	
	Add 0.34% for Lead					0.83	
						244.20	
	Less 0.24% for Lift					0.58	
						243.62	
	Add 0.34% for Lead					0.83	
						244.45	
	Less 0.24% for Lift					0.58	
						243.87	
	Add 0.34% for Lead					0.83	
						244.70	
	Less 0.24% for Lift					0.58	
						244.12	
	Add 0.34% for Lead					0.83	
						244.95	
	Less 0.24% for Lift					0.58	
						244.37	
	Add 0.34% for Lead					0.83	
						245.20	
	Less 0.24% for Lift					0.58	
						244.62	
	Add 0.34% for Lead					0.83	
						245.45	
	Less 0.24% for Lift					0.58	
						244.87	
	Add 0.34% for Lead					0.83	
						245.70	
	Less 0.24% for Lift					0.58	
						245.12	
	Add 0.34% for Lead					0.83	
						245.95	
	Less 0.24% for Lift					0.58	
						245.37	
	Add 0.34% for Lead					0.83	
						246.20	
	Less 0.24% for Lift					0.58	
						245.62	
	Add 0.34% for Lead					0.83	
						246.45	
	Less 0.24% for Lift					0.58	
						245.87	
	Add 0.34% for Lead					0.83	
						246.70	
	Less 0.24% for Lift					0.58	
						246.12	
	Add 0.34% for Lead					0.83	
						246.95	
	Less 0.24% for Lift					0.58	
						246.37	
	Add 0.34% for Lead					0.83	
						247.20	
	Less 0.24% for Lift					0.58	
						246.62	
	Add 0.34% for Lead					0.83	
						247.45	
	Less 0.24% for Lift					0.58	
						246.87	
	Add 0.34% for Lead					0.83	
						247.70	
	Less 0.24% for Lift					0.58	
						247.12	
	Add 0.34% for Lead					0.83	
						247.95	
	Less 0.24% for Lift					0.58	
						247.37	
	Add 0.34% for Lead					0.83	
						248.20	
	Less 0.24% for Lift					0.58	
						247.62	
	Add 0.34% for Lead					0.83	
						248.45	
	Less 0.24% for Lift					0.58	
						247.87	
	Add 0.34% for Lead					0.83	
						248.70	
	Less 0.24% for Lift					0.58	
						248.12	
	Add 0.34% for Lead					0.83	
						248.95	
	Less 0.24% for Lift					0.58	
						248.37	
	Add 0.34% for Lead					0.83	
						249.20	
	Less 0.24% for Lift					0.58	
						248.62	
	Add 0.34% for Lead					0.83	
						249.45	
	Less 0.24% for Lift					0.58	
						248.87	
	Add 0.34% for Lead					0.83	
						249.70	
	Less 0.24% for Lift					0.58	
						249.12	
	Add 0.34% for Lead					0.83	
						249.95	
	Less 0.24% for Lift					0.58	
						249.37	
	Add 0.34% for Lead					0.83	
						250.20	
	Less 0.24% for Lift					0.58	
						249.62	
	Add 0.34% for Lead					0.83	
						250.45	
	Less 0.24% for Lift					0.58	
						249.87	
	Add 0.34% for Lead					0.83	
						250.70	
	Less 0.24% for Lift					0.58	
						250.12	
	Add 0.34% for Lead					0.83	
						250.95	
	Less 0.24% for Lift					0.58	
						250.37	
	Add 0.34% for Lead					0.83	
						251.20	
	Less 0.24% for Lift					0.58	
						250.62	
	Add 0.34% for Lead					0.83	
						251.45	
	Less 0.24% for Lift					0.58	
						250.87	
	Add 0.34% for Lead					0.83	
						251.70	
	Less 0.24% for Lift					0.58	
						251.12	
	Add 0.34% for Lead					0.83	
						251.95	
	Less 0.24% for Lift					0.58	
						251.37	
	Add 0.34% for Lead					0.83	
						252.20	
	Less 0.24% for Lift					0.58	
						251.62	
	Add 0.34% for Lead					0.83	
						252.45	
	Less 0.24% for Lift					0.58	
						251.87	
	Add 0.34% for Lead					0.83	
						252.70	
	Less 0.24% for Lift					0.58	
						252.12	
	Add 0.34% for Lead					0.83	
						252.95	
	Less 0.24% for Lift					0.58	
						252.37	
	Add 0.34% for Lead					0.83	
						253.20	
	Less 0.24% for Lift					0.58	
						252.62	
	Add 0.34% for Lead					0.83	
						253.45	
	Less 0.24% for Lift					0.58	
						252.87	
	Add 0.34% for Lead					0.83	
						253.70	
	Less 0.24% for Lift					0.58	
						253.12	
	Add 0.34% for Lead					0.83	
						253.95	
	Less 0.24% for Lift					0.58	
						253.37	
	Add 0.34% for Lead					0.83	
						254.20	
	Less 0.24% for Lift					0.58	
						253.62	
	Add 0.34% for Lead					0.83	
						254.45	
	Less 0.24% for Lift					0.58	
						253.87	
	Add 0.34% for Lead					0.83	
						254.70	
	Less 0.24% for Lift					0.58	
						254.12	
	Add 0.34% for Lead					0.83	
						254.95	
	Less 0.24% for Lift					0.58	
						254.37	
	Add 0.34% for Lead					0.83	
						255.20	
	Less 0.24% for Lift					0.58	
						254.62	
	Add 0.34% for Lead					0.83	
						255.45	
	Less 0.24% for Lift					0.58	
						254.87	
	Add 0.34% for Lead					0.83	
						255.70	
	Less 0.24% for Lift					0.58	
						255.12	
	Add 0.34% for Lead					0.83	
						255.95	
	Less 0.24% for Lift					0.58	
						255.37	
	Add 0.34% for Lead					0.83	
						256.20	
	Less 0.24% for Lift					0.58	
						255.62	
	Add 0.34% for Lead					0.83	
						256.45	
	Less 0.24% for Lift					0.58	
						255.87	
	Add 0.34% for Lead					0.83	
						256.70	
	Less 0.24% for Lift					0.58	
						256.12	
	Add 0.34% for Lead					0.83	
						256.95	
	Less 0.24% for Lift					0.58	
						256.37	
	Add 0.34% for Lead					0.83	
						257.20	
	Less 0.24% for Lift					0.58	
						256.62	
	Add 0.34% for Lead					0.83	
						257.45	
	Less 0.24% for Lift					0.58	
						256.87	
	Add 0.34% for Lead					0.83	
						257.70	
	Less 0.24% for Lift					0.58	
						257.12	
	Add 0.34% for Lead					0.83	
						257.95	
	Less 0.24% for Lift					0.58	
						257.37	
	Add 0.34% for Lead					0.83	
						258.20	
	Less 0.24% for Lift					0.58	
						257.62	
	Add 0.34% for Lead					0.83	
						258.45	
	Less 0.24% for Lift					0.58	
						257.87	
	Add 0.34% for Lead					0.83	
						258.70	
	Less 0.24% for Lift					0.58	
						258.12	
	Add 0.34% for Lead					0.83	
						258.95	
	Less 0.24% for Lift					0.58	
						258.37	
	Add 0.34% for Lead					0.83	
						259.20	
	Less 0.24% for Lift					0.58	
						258.62	
	Add 0.34% for Lead					0.83	
						259.45	
	Less 0.24% for Lift					0.58	
						258.87	
	Add 0.34% for Lead					0.83	
						259.70	
	Less 0.24% for Lift					0.58	
						259.12	
	Add 0.34% for Lead					0.83	
						259.95	
	Less 0.24% for Lift					0.58	
						259.37	
	Add 0.34% for Lead					0.83	
						260.20	
	Less 0.24% for Lift					0.58	
						259.62	
	Add 0.34% for Lead					0.83	
						260.45	
	Less 0.24% for Lift					0.58	
						259.87	
	Add 0.34% for Lead					0.83	
						260.70	
	Less 0.24% for Lift					0.58	
						260.12	
	Add 0.34% for Lead					0.83	
						260.95	
	Less 0.24% for Lift					0.58	
						260.37	
	Add 0.34% for Lead					0.83	
						261.20	
	Less 0.24% for Lift					0.58	
						260.62	
	Add 0.34% for Lead					0.83	
						261.45	
	Less 0.24% for Lift					0.58	
						260.87	
	Add 0.34% for Lead					0.83	
						261.70	
	Less 0.24% for Lift					0.58	
						261.12	
	Add 0.34% for Lead					0.83	
						261.95	
	Less 0.24% for Lift					0.58	
						261.37	
	Add 0.34% for Lead					0.83	
						262.20	
	Less 0.24% for Lift					0.58	
						261.62	
	Add 0.34% for Lead					0.83	
						262.45	
	Less 0.24% for Lift					0.58	
						261.87	
	Add 0.34% for Lead					0.83	
						262.70	
	Less 0.24% for Lift					0.58	
						262.12	
	Add 0.34% for Lead					0.83	
						262.95	
	Less 0.24% for Lift					0.58	
						262.37	
	Add 0.34% for Lead					0.83	
						263.20	
	Less 0.24% for Lift					0.58	
						262.62	
	Add 0.34% for Lead					0.83	
						263.45	
	Less 0.24% for Lift					0.58	
						262.87	
	Add 0.34% for Lead					0.83	
						263.70	
	Less 0.24% for Lift					0.58	
						263.12	
	Add 0.34% for Lead					0.83	
						263.95	
	Less 0.24% for Lift					0.58	
						263.37	
	Add 0.34% for Lead					0.83	
						264.20	
	Less 0.24% for Lift					0.58	
						263.62	
	Add 0.34% for Lead					0.83	
						264.45	
	Less 0.24% for Lift					0.58	
						263.87	
	Add 0.34% for Lead					0.83	
						264.70	
	Less 0.24% for Lift					0.58	
						264.12	
	Add 0.34% for Lead					0.83	
						264.95	
	Less 0.24% for Lift					0.58	
						264.37	
	Add 0.34% for Lead					0.83	
						265.20	
	Less 0.24% for Lift					0.58	
						264.62	
	Add 0.34% for Lead					0.83	
						265.45	
	Less 0.24% for Lift					0.58	
						264.87	
	Add 0.34% for Lead					0.83	
						265.70	
	Less 0.24% for Lift					0.58	
						265.12	
	Add 0.34% for Lead					0.83	
						265.95	
	Less 0.24% for Lift					0.58	
						265.37	
	Add 0.34% for Lead					0.83	
						266.20	
	Less 0.24% for Lift					0.58	
						265.62	
	Add 0.34% for Lead					0.83	
						266.45	
	Less 0.24% for Lift					0.58	
						265.87	
	Add 0.34% for Lead					0.83	
						266.70	
	Less 0.24% for Lift					0.58	
						266.12	
	Add 0.34% for Lead					0.83	
						266.95	
	Less 0.24% for Lift					0.58	
						266.37	
	Add 0.34% for Lead					0.83	
						267.20	
	Less 0.24% for Lift					0.58	
						266.62	
	Add 0.34% for Lead					0.83	
						267.45	
	Less 0.24% for Lift					0.58	
						266.87	
	Add 0.34% for Lead					0.83	
						267.70	
	Less 0.24% for Lift					0.58	
						267.12	
	Add 0.34% for Lead					0.83	
						267.95	
	Less 0.24% for Lift					0.58	
						267.37	
	Add 0.34% for Lead					0.83	
						268.20	
	Less 0.24% for Lift					0.58	
						267.62	
	Add 0.34% for Lead					0.83	
						268.45	
	Less 0.24% for Lift					0.58	
						267.87	
	Add 0.34% for Lead					0.83	
						268.70	
	Less 0.24% for Lift					0.58	
						268.12	
	Add 0.34% for Lead					0.83	
						268.95	
	Less 0.24% for Lift					0.58	
						268.37	
	Add 0.34% for Lead					0.83	
						269.20	
	Less 0.24% for Lift					0.58	
						268.62	
	Add 0.34% for Lead					0.83	
						269.45	
	Less 0.24% for Lift					0.58	
						268.87	
	Add 0.34% for Lead					0.83	
						269.70	
	Less 0.24% for Lift					0.58	
						269.12	
	Add 0.34% for Lead					0.83	
						269.95	
	Less 0.24% for Lift					0.58	
						269.37	
	Add 0.34% for Lead					0.83	
						270.20	
	Less 0.24% for Lift					0.58	
						269.62	
	Add 0.34% for Lead					0.83	
						270.45	
	Less 0.24% for Lift					0.58	
						269.87	
	Add 0.34% for Lead					0.83	
						270.70	
	Less 0.24% for Lift					0.58	
						270.12	
	Add 0.34% for Lead					0.83	
						270.95	
	Less 0.24% for Lift					0.58	
						270.37	
	Add 0.34% for Lead					0.83	
						271.20	
	Less 0.24% for Lift					0.58	
						270.62	
	Add 0.34% for Lead					0.83	
						271.45	
	Less 0.24% for Lift					0.58	
						270.87	
	Add 0.34% for Lead					0.83	
						271.70	
	Less 0.24% for Lift					0.58	
						271.12	
	Add 0.34% for Lead					0.83	
						271.95	
	Less 0.24% for Lift					0.58	
						271.37	
	Add 0.34% for Lead					0.83	
						272.20	
	Less 0.24% for Lift					0.58	
						271.62	
	Add 0.34% for Lead					0.83	
						272.45	
	Less 0.24% for Lift					0.58	
						271.87	
	Add 0.34% for Lead					0.83	
						272.70	
	Less 0.24% for Lift					0.58	
						272.12	
	Add 0.34% for Lead					0.83	
						272.95	
	Less 0.24% for Lift					0.58	
						272.37	
	Add 0.34% for Lead					0.83	
						273.20	
	Less 0.24% for Lift					0.58	
						272.62	
	Add 0.34% for Lead					0.83	
						273.45	
	Less 0.24% for Lift					0.58	
						272.87	
	Add 0.34% for Lead					0.83	
						273.70	
	Less 0.24% for Lift					0.58	
						273.12	
	Add 0.34% for Lead					0.83	
						273.95	
	Less 0.24% for Lift					0.58	
						273.37	
	Add 0.34% for Lead					0.83	
						274.20	
	Less 0.24% for Lift					0.58	
						273.62	
	Add 0.34% for Lead					0.83	
						274.45	
	Less 0.24% for Lift					0.58	
						273.87	
	Add 0.34% for Lead					0.83	
						274.70	
	Less 0.24% for Lift					0.58	
						274.12	
	Add 0.34% for Lead					0.83	
						274.95	
	Less 0.24% for Lift					0.58	
						274.37	
	Add 0.34% for Lead					0.83	
						275.20	
	Less 0.24% for Lift					0.58	
						274.62	
	Add 0.34% for Lead					0.83	
						275.45	
	Less 0.24% for Lift					0.58	
						274.87	
	Add 0.34% for Lead					0.83	
						275.70	
	Less 0.24% for Lift					0.58	
						275.12	
	Add 0.34% for Lead					0.83	
						275.95	
	Less 0.24% for Lift					0.58	
						275.37	
	Add 0.34% for Lead					0.83	
						276.20	
	Less 0.24% for Lift					0.58	
						275.62	
	Add 0.34% for Lead					0.83	
						276.45	
	Less 0.24% for Lift					0.58	
						275.87	
	Add 0.34% for Lead					0.83	
						276.70	
	Less 0.24% for Lift					0.58	
						276.12	
	Add 0.34% for Lead					0.83	
						276.95	
	Less 0.24% for Lift					0.58	
						276.37	
	Add 0.34% for Lead					0.83	
						277.20	
	Less 0.24% for Lift					0.58	
						276.62	
	Add 0.34% for Lead					0.83	
						277.45	
	Less 0.24% for Lift					0.58	
						276.87	
	Add 0.34% for Lead					0.83	
						277.70	
	Less 0.24% for Lift					0.58	
						277.12	
	Add 0.34% for Lead					0.83	
						277.95	
	Less 0.24% for Lift					0.58	
						277.37	
	Add 0.34% for Lead					0.83	
						278.20	
	Less 0.24% for Lift					0.58	
						277.62	
	Add 0.34% for Lead					0.83	
						278.45	
	Less 0.24% for Lift					0.58	
						277.87	
	Add 0.34% for Lead					0.83	
						278.70	
	Less 0.24% for Lift					0.58	
						278.12	
	Add 0.34% for Lead					0.83	
						278.95	
	Less 0.24% for Lift					0.58	
						278.37	
	Add 0.34% for Lead					0.83	
						279.20	
	Less 0.24% for Lift					0.58	
						278.62	
	Add 0.34% for Lead					0.83	
						279.45	
	Less 0.24% for Lift					0.58	
						278.87	
	Add 0.34% for Lead					0.83	
						279.70	
	Less 0.24% for Lift					0.58	
						279.12	
	Add 0.34% for Lead					0.83	
						279.95	
	Less 0.24% for Lift					0.58	
						279.37	
	Add 0.34% for Lead					0.83	
						280.20	
	Less 0.24% for Lift					0.58	
						279.62	
	Add 0.34% for Lead					0.83	
						280.45	
	Less 0.24% for Lift					0.58	
						279.87	
	Add 0.34% for Lead					0.83	
						280.70	
	Less 0.24% for Lift					0.58	
						280.12	
	Add 0.34% for Lead					0.83	
						280.95	
	Less 0.24% for Lift					0.58	
						280.37	
	Add 0.34% for Lead					0.83	
						281.20	
	Less 0.24% for Lift					0.58	
						280.62	
	Add 0.34% for Lead					0.83	
						281.45	
	Less 0.24% for Lift					0.58	
						280.87	
	Add 0.34% for Lead					0.83	
						281.70	
	Less 0.24% for Lift					0.58	
						281.12	
	Add 0.34% for Lead					0.83	
						281.95	
	Less 0.24% for Lift					0.58	
						281.37	
	Add 0.34% for Lead					0.83	
						282.20	
	Less 0.24% for Lift					0.58	
						281.62	
	Add 0.34% for Lead					0.83	
						282.45	
	Less 0.24% for Lift					0.58	
						281.87	
	Add 0.34% for Lead					0.83	
						282.70	
	Less 0.24% for Lift					0.58	
						282.12	
	Add 0.34% for Lead					0.83	
						282.95	
	Less 0.24% for Lift					0.58	
						282.37	
	Add 0.34% for Lead					0.83	
						283.20	
	Less 0.24% for Lift					0.58	
						282.62	
	Add 0.34% for Lead					0.83	
						283.45	
	Less 0.24% for Lift					0.58	
						282.87	
	Add 0.34% for Lead					0.83	
						283.70	
	Less 0.24% for Lift					0.58	
						283.12	
	Add 0.34% for Lead					0.83	
						283.95	
	Less 0.24% for Lift					0.58	
						283.37	
	Add 0.34% for Lead					0.83	
						284.20	
	Less 0.24% for Lift					0.58	
						283.62	
	Add 0.34% for Lead					0.83	
						284.45	
	Less 0.24% for Lift					0.58	
						283.87	
	Add 0.34% for Lead					0.83	
						284.70	
	Less 0.24% for Lift					0.58	
						284.12	
	Add 0.34% for Lead					0.83	
						284.95	
	Less 0.24% for Lift					0.58	
						284.37	
	Add 0.34% for Lead					0.83	
						285.20	
	Less 0.24% for Lift					0.58	
						284.62	
	Add 0.34% for Lead					0.83	
						285.45	
	Less 0.24% for Lift					0.58	
						284.87	
	Add 0.34% for Lead					0.83	
						285.70	
	Less 0.24% for Lift					0.58	
						285.12	
	Add 0.34% for Lead					0.83	
						285.95	
	Less 0.24% for Lift					0.58	
						285.37	
	Add 0.34% for Lead					0.83	
						286.20	
	Less 0.24% for Lift					0.58	
						285.62	
	Add 0.34% for Lead					0.83	
						286.45	
	Less 0.24% for Lift					0.58	
						285.87	
	Add 0.34% for Lead					0.83	
						286.70	
	Less 0.24% for Lift					0.58	
						286.12	
	Add 0.34% for Lead					0.83	
						286.95	
	Less 0.24% for Lift					0.58	
						286.37	
	Add 0.34% for Lead					0.83	
						287.20	
	Less 0.24% for Lift					0.58	
						286.62	
	Add 0.34% for Lead					0.83	
						287.45	
	Less 0.24% for Lift					0.58	
						286.87	
	Add 0.34% for Lead					0.83	
						287.70	
	Less 0.24% for Lift					0.58	
						287.12	
	Add 0.34% for Lead					0.83	
						287.95	
	Less 0.24% for Lift					0.58	
						287.37	
	Add 0.34% for Lead					0.83	
						288.20	
	Less 0.24% for Lift					0.58	
						287.62	
	Add 0.34% for Lead					0.83	
						288.45	
	Less 0.24% for Lift					0.58	
						287.87	
	Add 0.34% for Lead					0.83	
						288.70	
	Less 0.24% for Lift					0.58	
						288.12	
	Add 0.34% for Lead					0.83	
						288.95	
	Less 0.24% for Lift					0.58	
						288.37	
	Add 0.34% for Lead					0.83	
						289.20	
	Less 0.24% for Lift					0.58	
						288.62	
	Add 0.34% for Lead					0.83	
						289.45	
	Less 0.24% for Lift					0.58	
						288.87	
	Add 0.34% for Lead					0.83	
						289.70	
	Less 0.24% for Lift					0.58	
						289.12	
	Add 0.34% for Lead					0.83	
						289.95	
	Less 0.24% for Lift					0.58	
						289.37	
	Add 0.34% for Lead					0.83	
						290.20	
	Less 0.24% for Lift					0.58	
						289.62	
	Add 0.34% for Lead					0.83	
						290

IENT BOOK

Dimensions			Contents	Reference to last Measurement
ngth 4	Breadth 5	Depth 6	7	8
r and less upto 1-50 mtr excn. ed and nearly dressed lowered upper bearing 7 ressed disposed etc.. Complete . ment recorded vide no 259876			in This MB. 243.32 m³ 35738:8	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of Work ..... From..... To..... 259833

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
2)	Earth work Excavation for foundation of buildings, culverts Water Supply Sanitary line and electrical conduits either in pits or in trenches 1-50 mtr and above in width in hard soil not exceeding 1-50 mtr in depth including dressing the bottom and sides of pits and trenches etc.. complete as per specification As per Pre-measurment recorded vide Page No.. 259876 to 259877						in this MB.

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	16) Providing and laying Semi dense bituminous Carpeting 25 mm thick with 100-120 TPH batch type HMP producing an average output of 75 tonnes per hour using crushed aggregates of specified grading premixed with bitumen binder at 4.5 to 5% by mix and sprayed tack coat transporting the hot mix to work site laying with a hydrostatic paver finisher grade level and alignment rolling with smooth wheeled vibrator and tandem roller compaction etc complete.						

M. A. R.
Measu

Serial No. .....
Name of Work ..... From.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Number	L
1	2	3	
	2nd Main	9	3
		1	3
		1	1
	31/12 K.U. (B...)	1	3
		1	2

T BOOK

nsions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
emi dense bituminous			
with 100-120 TPH batch			
average output 875			
crushed aggregates			
mixed with bitumin-			
s and sheer transporting			
e laying with a hydrosta-			
de level and obtaining			
wheeled vibrator and			
esin elsewhere complete.			

M. A. R. 57 (Rule 116)
Measurement Book

No. B

259843

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	2nd Main	9	30.00	$\frac{(4.10+4.25)}{2}$	×0.025	3.13	
		1	30.00	$\frac{(4.25+5.05)}{2}$	×0.025	3.48	
		1	10.40	$\frac{(5.05+4.75)}{2}$	×0.025	1.27	
		1	30.00	$\frac{(4.90+4.20)}{2}$	×0.025	3.41	
		1	22.20	$\frac{(4.20+5.0)}{2}$	×0.025	2.55	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	4 M cross.	1	30.00	(4.25 + 3.70) / 2	x 0.025	2.98	
		1	3.00	3.70	0.025	0.27	
	5 M cross. checked.	1	30.00	(4.0 + 3.90) / 2	x 0.025	2.96	
	M: 31/12	1	12.45	(3.90 + 4.05) / 2	x 0.025	1.23	
	5 M cross. P.O. (25.0.25)	1	30.00	(3.65 + 3.35) / 2	x 0.025	2.62	
		1	3.00	3.35	0.025	0.25	

Serial No. .....

Name of Work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work
1	2
	6 M cross.
	Cross Road.

T BOOK

sions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
		(4.25 + 3.70) / 2 × 0.025 2.98	
3.70	0.025	0.27	
		(4.0 + 3.90) / 2 × 0.025 2.96	
		(3.90 + 4.05) / 2 × 0.025 1.23	
		(3.65 + 3.35) / 2 × 0.025 2.62	
3.35	0.025	0.25	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

259844

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	6M cross.	1	30.00	(4.05 + 4.15) / 2	× 0.025	3.07	
		1	12.60	(4.15 + 4.70) / 2	× 0.025	1.39	
	Cross Road.	1	30.00	(4.90 + 4.95) / 2	× 0.025	3.69	
		1	30.00	(4.95 + 4.85) / 2	× 0.025	3.62	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.00	(4.85 + 4.90) / 2	x 0.025	3.65	
		1	27.00	(4.90 + 4.70) / 2	x 0.025	3.24	
						41.53 m³	
	Cafe						
	Rate 10195 = 20						423406 = 66
	17) Cost for Disposal & Dessing as Carriage Rates by Mechanical means including loading and unloading etc.. Compleate.						

31/12/15
Assistant Executive Engineer
Byatarayanapura Sub Division
B.B.M.P Bangalore

31/12/15
ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ./ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

M.

Serial No. .....

Name of Work ..... Fr

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Numbe
1	2	3
	Quantity vide	
	Rate 68:12	(2
	31/12/15 ಸಹಾಯಕ ಅಭಿಯಂತರರು ಬಿ.ಬಿ.ಎಂ.ಪಿ./ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ	
	1) Certified that the Amount as not	been

31/12/15
ಸಹಾಯಕ ಅಭಿಯಂತರರು

Assist
Byatar

OOK

th	Depth 6	Contents 7	Reference to last Measurement 8
5	+4.90)	3.65	
	X0.025		
0	+4.70)	3.24	
	X0.025		
		41.53 M³	
			423406=66
ngs	Shall be payable		
nical	meanings including		
Compleee.			

M. A. R. 57 (Rule 116)
Measurement Book

No. B

259845

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Quantity vide Item No. (1) and (2)						
	(243.32 + 24.57) = 267.89 M³						18248:66
	Rate 68:12						1483747
					Total Rs.		1484806:00
					Add 1% Third party Charge Rs.		1048:00
					Total Rs.		1499654:00
	1) Certified that the work done Satisfactory and Physical Amount as not seen claimed in any & Previously.						1483747=00

31/12/15
ಸಹಾಯಕ ಅಭಿಯಂತರರು

31/12/15
ಸಹಾಯಕ ಅಭಿಯಂತರರು

31/12/15
Assistant Executive Engineer
Byatarayanapura Sub Division

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Road Crossing Bellahally Asphalt Work R.R. Slag Drains Culverts Main Road Kogilu Layout 4 M Cross 5 M Cross 6 M Cross 1st Main Yelahanka						

31/12/15
ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

Assistant Executive Engineer
Byatarayanapura Sub Division
B.B.M.P. Bangalore

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work
1	2

ಬಿಲ್ಲು ಮೊಬಲಗು ರೂ. 14832/-
ಗುತ್ತಿಗೆದಾರರು ಮಾಡಿರುವ ಇತರೆ ಕೆಲಸಗಳ ರೂ. 2
ಮೊದಲಾದ ಮಾಡಿರುವ ಒಟ್ಟು ಮೊಬಲಗು
ರೂ. 12,44,296=00
ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು

BOOK

ions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
		Yalahanka	
		1st Main	
		Manuh JE 21/12/15	
		Assistant Executive Engineer Byatarayanapura Sub Division B.B.M.P. Bangalore	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

259846

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	ಒಟ್ಟು ಮೊತ್ತ ರೂ 1483277=00 ಗುತ್ತಿಗೆ ದಾರರ ಮತ್ತು ಇತರರ ರೂ 239451=00 ನಿವ್ವಳ ಮೊತ್ತ ರೂ 12,44,296=00 ಕಿರಿಯ ಅಭಿಯಂತರರು Krishnappa Gr Sd/-				IT – 29675 – VAT – 59350 – ESI – 89025 – Cess – 14837 – CST – 1484 – Roy – 45080 – Total – 239451=00 24/2/16.		